Volume 6
1981

TRANSITION METAL CHEMISTRY

An International Journal

Advisory Board

P. Chiusoli (Parma, Italy)
Y. Jeannin (Paris, France)
J. Lewis (Cambridge, England)
G. and S. Olivé (Pensacola, Florida, U.S.A.)
L. Markó (Veszprém, Hungary)
G. Wilke (Mülheim, Federal Republic of Germany)
A. Yamamoto (Tokyo, Japan)

Editor-in-Chief

Dr. D. R. M. Walton
School of Molecular Sciences
University of Sussex
Brighton BN1 9QJ, England
Tel. Brighton (0273) 606755

Editorial Committee

R. J. H. Clark (London)
R. D. Gillard (Cardiff)
M. Green (Bristol)
M. Green (York)
W. P. Griffith (London)
M. B. Hursthouse (London)
B. F. G. Johnson (Cambridge)
J. A. McCleverty (Sheffield)
D. M. P. Mingos (Oxford)
B. L. Shaw (Leeds)
M. V. Twigg (Billingham)

Published by

verlag chemie

Publishers of the
Gesellschaft Deutscher Chemiker

Verlag Chemie GmbH
P. O. Box 1260/1280
D-6940 Weinheim
Federal Republic of Germany

Tel. (06201) 602–1
Telex 465516 vchwh d

© Verlag Chemie GmbH, D-6940 Weinheim, 1981. – Printed in the Federal Republic of Germany by Schwetzinger Verlagsdruckerei GmbH, D-6830 Schwetzingen. – All rights reserved (including those of translations into foreign languages). No part of this journal may be reproduced in any form – by photoprint, microfilm, or any other means – nor transmitted or translated into a machine language without the permission in writing of the publishers. Only single copies of contributions, or parts thereof, may be reproduced for personal use. Copies reproduced and used other than for private purposes in an industrial or commercial undertaking are subject to copyright and, in such cases a copyright fee must be paid to the VG WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, from whom conditions of payment can be obtained on request. Registered names, trademarks, etc. used in this journal, even without specific indication thereof, are not be considered unprotected by law. Subscription Price: Volume *6* (1981) DM 372.– (plus postage); Single copies: DM 74,–; Editor-in-Chief: Dr. D. R. M. Walton, Univ. of Sussex, School of Molecular Sciences, Brighton BN1 9QJ, England; Advertising Manager: I. Lässig, D-6940 Weinheim; Published by Verlag Chemie GmbH, (Managing Director: Dr. Helmut Grünewald), Pappelallee 3, P. O. Box 1260/1280, D-6940 Weinheim, Federal Republic of Germany. Telephone Weinheim (06201) 602-1; Telex 465 516 vchwh d.
Transition Metal Chemistry does not publish book reviews; books submitted for review will not be returned.
Valid for users in the USA: The appearance of the code at the bottom of the first page of an article in this journal (serial) indicates the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated percopy fee through the Copyright Clearance Center, Inc., for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purpose, for creating new collective work, or for resale. For copying from back volumes of this journal see "Permissions to Photo-Copy: Publisher's Fee List" of the CCC.

Author Index

The annual author and keyword indexes were prepared by the Chemical Abstracts Service. Accordingly, abbreviations occurring in the index entries are those regularly used in Chemical Abstracts.

Adams, H. Anionic tris–dithiophosphato and –dithiophosphinato complexes of zinc(II) and cobalt(II). The structures of $[R_4N][M(S_2PPh_2)_3]$ (M = Zn and Co; R = Et or Me) and of $[Me_4N][Zn\{S_2P(OC_6H_4Me\text{-}p)_2\}_3]$. 64

Allen, G. C. Electronic absorption spectroscopy of alkaline earth metal uranate compounds. 355

Alper, H. Phase transfer and rhodium(I) catalyzed isomerization of allylaromatics and cognate systems. 219

Alyea, E. C. Metal derivatives of azoles, Part VII. Pyrazolato–bridged dinuclear complexes containing either cyclopalladated or –platinated trimesitylphosphine or –arsine. 24

Alyea, E. C. Dioxouranium(VI) complexes with potentially dibasic tridentate Schiff base ligands. Characterization of the uranyl complexes of salicylaldehyde–2–hydroxyanil and its substituted derivatives. 223

Antolini, L. Synthesis and spectroscopic properties of some thermochromic copper(II) complexes of N–(2–aminoethyl) heterocyclic derivatives. 377

Antropiusova, H. Preparation of μ–(η^5:η^5–fulvalene)–di–μ–hydrido–bis(η^5–cyclopentadienyltitanium) by the reduction of bis(cyclopentadienyl)titanium chloride with lithium aluminum hydride in aromatic solvents. 90

Askalani, P. Kinetics of reactions of the tris(4–methyl–1,10–phenanthroline)iron(II) cation. 51

Atton, J. G. D. M. Equilibriums in complexes of N–heterocyclic ligands. Part 33. Ruthenium(II) complex ions with chelating pyridylimidazoles. 351

Bailey, N. A. Anionic tris–dithiophosphato and –dithiophosphinato complexes of zinc(II) and cobalt(II). The structures of $[R_4N][M(S_2PPh_2)_3]$ (M = Zn and Co; R = Et or Me) and of $[Me_4N][Zn\{S_2P(OC_6H_4Me\text{-}p)_2\}_3]$. 64

Baird, M. C. Metal carbonyl complexes of a new, cationic, water–soluble phosphine, (2–diphenylphosphinoethyl)trimethylammonium iodide. 197

Balt, S. Kinetics of ammoniation of some halobis(ethylenediamine)rhodium(III) perchlorates in liquid ammonia. 119

Balt, S. Solvent effects in square planar complexes: kinetics of substitution at [1–(2–hydroxyphenyl)–3,5–diphenylformazanato]palladium(II) complexes. 267

Bandmann, H. Organometallic complex compounds. Part 7. Ligand concentration control in the organometallic system P–ligand/carbon monoxide/bis(μ–methyl–1,3–dimethyl–η^3–allyl nickel). 287

Banerjee, P. The kinetics of oxidation of N–(2–hydroxyethyl)ethylenediaminetriacetatocobaltate(II) by peroxodisulfate ion in aqueous acidic solutions. 47

Behrman, E. J. The x–ray crystal structures of the oxoosmium complexes, $OsO_2(OH)_2$phen (1) and $Os_2O_8py_4$ (2). 194

Benetti, S. Rhenium(V) complexes with vinyl amides. 380

Benfield, R. E. Structures and fluxional behavior of transition metal cluster carbonyls. 131

Berger, R. Organometallic complex compounds. Part 5. Ligand property controlled carbon monoxide insertion in nickel complexes: separation of electronic and steric effects. 272

Berger, R. Organometallic complex compounds. Part 6. Property–specific ligand control of stability and reactivity of (1,3–dimethyl–η^3–allyl)methylnickel–ligand complexes. Separation of electronic and steric effects. 277

Berger, R. Organometallic complex compounds. Part 7. Ligand concentration control in the organometallic system P–ligand/carbon monoxide/bis(μ–methyl–1,3–dimethyl–η^3–allylnickel). 287

Bhaduri, S. Nickel nitrosyl complexes with the diphenylphosphinoethane ligand. 206

Bhar, J. K. Oxocation complexes. Part X. Oxomolybdenum(V) and dioxomolybdenum(VI) complexes with tri– and tetradentate Schiff bases. 346

Bharadwaj, P. K. Rhenium. XV. Tetragonal complexes of nickel(II) containing coordinated perrhenate $[ReO_4]^-$. 211

Bhargava, C. B. X–ray K–absorption spectra of some amino acid and carbonato complexes of copper(II). 114

Bkouche–Waksman, I. Crystal structure of di–μ–chloro–tetrakis(ethane–1,2–diamine)dinickel(II) bis(tetraphenylboronate); relation between structure and magnetic properties. 176

Blandamer, M. J. Ion pairing in the reaction of the tris(1,10–phenanthroline)iron(II) cation with cyanide in aqueous media at high ionic strengths. 129

Blandamer, M. J. Kinetics of reactions of 2,2'–bipyridyltetracarbonylmolybdenum(0). 156

Blandamer, M. J. Intermediates in reactions of the diimine complex trisferrozineiron(II) with hydroxide or cyanide in binary aqueous solvent mixtures and in micelles. 364

Blandamer, M. J. Initial state and transition state solvation in substitution at the square–planar complexes, tetrachloroplatinate(2–) and chloro(N,N,N',N'–tetraethyldiethylenetriamine)platinum(1+). 368

Bonati, F. Metal derivatives of azoles, Part VII. Pyrazolato–bridged dinuclear complexes containing either cyclopalladated or –platinated trimesitylphosphine or –arsine. 24

Boschi, T. Synthesis and NMR studies of bis–tri–substituted phosphine platinum(0) and palladium(0) complexes with push–pull olefins. 199

Brisdon, B. J. Reactions of diphenylphosphine and methyldiphenylphosphine with (η^3–allyl)dicarbonylchlorobis(methyl cyanide)molybdenum and –tungsten: mechanistic implications in the reductive elimination of allyl halides. 83

Bruder, H. Ruthenium complexes with diazadienes. I. Synthesis and crystal structure of cis–$Ru(dad)_2Cl_2$ (dad = 2,7–dimethyl–3,6–diaza–3,5–octadiene). 185

Bulychev, B. M. Infrared spectra and structures of bimetallic $Cp_2TiH_2AlX(X').L$ complexes. 240

Bulychev, B. M. Interactions in Cp_2TiX–$AlH_{3-n}X_n$–$Et_2O(NEt_3)$ systems. 32

Burgess, J. Kinetics of reactions of the tris(4–methyl–1,10–phenanthroline)iron(II) cation. 51

Burgess, J. Ion pairing in the reaction of the tris(1,10–phenanthroline)iron(II) cation with cyanide in aqueous media at high ionic strengths. 129

Burgess, J. Solvatochromic behavior of intramolecular charge–transfer spectra of inorganic diimine complexes. 145

Burgess, J. Kinetics of reactions of 2,2'–bipyridyltetracarbonylmolybdenum(0). 156

Burgess, J. Intermediates in reactions of the diimine complex trisferrozineiron(II) with hydroxide or cyanide in binary aqueous solvent mixtures and in micelles. 364

Burgess, J. Initial state and transition state solvation in substitution at the square–planar complexes, tetrachloroplatinate(2–) and chloro(N,N,N',N'–tetraethyldiethylenetriamine)platinum(1+). 368

Calogero, S. Moessbauer study of some iron(III) complexes with urea type ligands and the crystal structure of hexakis(dimethylurea)iron(III) perchlorate. 325

Carmona, D. Dimeric chlorocarbonyl(triphenylphosphine)rhodium. A precursor for the synthesis of cationic rhodium complexes with nitrogen donor ligands. 372

Casellato, U. Synthesis and crystal structure of bis(dimethyl thioacetonedicarboxylato)nickel(II) 166

Casotto, G. Complexes of uranium and thorium tetrachlorides and uranyl nitrate with N–methyl–N–ethyl–O–ethylcarbamate. 17

Castan, P. Copper(I) complexes with heterocyclic ligands involving the thioamido group. 14

Chadha, S. L. Preparation, characterization and reactions of tris(2–chlorethoxy)iron(III), $Fe(OC_2H_4Cl)_3$. 300

Chakravorti, M. C. Rhenium. XV. Tetragonal complexes of nickel(II) containing coordinated perrhenate $[ReO_4]^-$. 211

Chambers, J. G. Solvatochromic behavior of intramolecular charge–transfer spectra of inorganic diimine complexes. 145

Chambers, J. G. Kinetics of reactions of 2,2'–bipyridyltetracarbonylmolybdenum(0). 156

Chandra, S. Oxovanadium(IV) complexes of cyclohexanone semicarbazone and cyclohexanone thiosemicarbazone. 110

Chaudhry, S. C. Acceptor properties of titanium(IV) phenoxides. 238

Chauhan, A. K. S. Adducts of tellurium and organotellurium(IV) chlorides with transition metal chelates of tetradentate Schiff bases. 252

Chawla, S. Complexes of metal ions with phosphorus or arsenic containing ligands. XX. Chelates of o–phenylenebis(diarylarsines) with palladium(II) and platinum(II) halides, pseudohalides, and perchlorates. 246

Chiusoli, G. P. Nickel–induced deviation in the reaction of butadiene with methyl benzoylacrylate from cycloaddition to linear addition. 125

Chiusoli, G. P. Tertiary amines by palladium or nickel–catalyzed amination of ring–containing allylic systems. 317

Colquhoun, H. M. Organic chemistry of dinitrogen and related ligands. Part 2. Nonradical acylation of ligating dinitrogen. 57

Costa, M. Nickel–induced deviation in the reaction of butadiene with methyl benzoylacrylate from cycloaddition to linear addition. 125

Costa, M. Tertiary amines by palladium or nickel–catalyzed amination of ring–containing allylic systems. 317

Cuadrado, I. Reactions of titanium(IV) chloride, vanadium(IV) chloride, and vanadyl chloride ($VOCl_3$) with tetraalkyldiphosphine disulfides. 329

Dahlstrom, P. L. The structure of the copper(II) analog of a pseudotetrahedral copper(I) thio ether complex. 314

Das, M. Dipole moments and mass spectra of some metal complexes of three new monothio–β–diketones, $RSCH_2COCHF_2$ (correction). 66

Deli, J. Kinetics and mechanism of the oxygenation of triphenylphosphine by bis(ethyl–L–cysteinato)dioxomolybdenum(VI). 227

De Munno, G. Binuclear metal–catecholato complexes. 298

Den Heijer, M. Ethers as ligands. Part V. Metal(II)–diglyme and –pentaglyme solvates. 296

Den Heijer, M. Ethers as ligands. Part VI. Transition metal(II) complexes with 18–crown–6. 338

Denti, G. Binuclear metal–catecholato complexes. 298

Desseyn, H. O. The vibrational analysis of some N– and N,N'–substituted oxamide complexes. 305

Devillanova, F. A. Cobalt(II) halide complexes with imidazolidine–2–selone derivatives. 107

Dey, K. Oxocation complexes. Part X. Oxomolybdenum(V) and dioxomolybdenum(VI) complexes with tri– and tetradentate Schiff bases. 346

Dias, S. A. Metal derivatives of azoles, Part VII. Pyrazolato–bridged dinuclear complexes containing either cyclopalladated or –platinated trimesitylphosphine or –arsine. 24

Dieck, H. T. Ruthenium complexes with diazadienes. I. Synthesis and crystal structure of cis–$Ru(dad)_2Cl_2$ (dad = 2,7–dimethyl–3,6–diaza–3,5–octadiene). 185

Dolcetti, G. Binuclear metal–catecholato complexes. 298

Doll, K. H. Preparation of new bulky nickelocenes via nickel chloride.1.65 THF. 126

Dosedlova, A. Preparation of μ–(η^5:η^5–fulvalene)–di–μ–hydrido–bis(η^5–cyclopentadienyltitanium) by the reduction of bis(cyclopentadienyl)titanium chloride with lithium aluminum hydride in aromatic solvents. 90

Driessen, W. L. Ethers as ligands. Part V. Metal(II)–diglyme and –pentaglyme solvates. 296

Driessen, W. L. Ethers as ligands. Part VI. Transition metal(II) complexes with 18–crown–6. 338

Duatti, A. Rhenium(V) complexes with Schiff bases: synthesis and reaction mechanisms. 169

Duatti, A. Reactivity of Schiff base rhenium(V) complexes with dimethylphenylphosphine. 360

Duatti, A. Rhenium(V) complexes with vinyl amides. 380

Duce, P. P. Initial state and transition state solvation in substitution at the square–planar complexes, tetrachloroplatinate(2–) and chloro(N,N,N',N'–tetraethyldiethylenetriamine)platinum(1+). 368

Duffield, A. J. Kinetics of reactions of 2,2'–bipyridyltetracarbonylmolybdenum(0). 156

Duffield, A. J. Initial state and transition state solvation in substitution at the square–planar complexes, tetrachloroplatinate(2–) and chloro(N,N,N',N'–tetraethyldiethylenetriamine)platinum(1+). 368

Eaton, J. P. The complex cyanides of chromium(II) and chromium(0). 203

Edwards, D. A. Reactions of diphenylphosphine and methyldiphenylphosphine with (η^3–allyl)dicarbonylchlorobis(methyl cyanide)molybdenum and –tungsten: mechanistic implications in the reductive elimination of allyl halides. 83

Edwards, D. A. Reduction of chromium(V) in nonaqueous media: the preparation of mixed ligand complexes of chromium(III) from $[bipyH_2][CrOCl_5]$ (bipy = 2,2'–bipyridyl). 235

Eichbichler, J. Mercuration of phosphorus–hydrogen systems with $(Hg[N(SiMe_3)_2]_2)$. 313

El–Asmy, A. A. Copper(II), cobalt(II), nickel(II) and mercury(II) complexes of 1,4–diphenylthiosemicarbazide. 303

El–Hammid, A. Copper(II), cobalt(II), nickel(II) and mercury(II) complexes of 1,4–diphenylthiosemicarbazide. 303

El Murr, N. Electrochemical reduction of substituted cobalticinium cations in aqueous media. 321

El–Sayed, L. Coordination compounds of hydrazine derivatives with transition metals. Part 22.

Reaction of aroylhydrazones with copper(II) salts. 27
El-Shazly, M. F. Metal chelates of heterocycle-containing ketones, Part 2. Copper(II) complexes of hydrazones of 2-picolyl, 2-lutidyl and quinaldyl phenyl ketones. 8
Eynde, I. V. Organometallic compounds. Part 68. A new synthesis of triorganostannylmanganese complexes. 128
Faraglia, G. Complexes of uranium and thorium tetrachlorides and uranyl nitrate with N-methyl-N-ethyl-O-ethylcarbamate. 17
Feigel, M. Ruthenium complexes with diazadienes. I. Synthesis and crystal structure of cis-Ru(dad)$_2$Cl$_2$ (dad = 2,7-dimethyl-3,6-diaza-3,5-octadiene). 185
Felicio, E. C. A. Complexes of oxovanadium(IV) with cyclic nitrogen-containing ligands. 258
Filgueiras, C. A. L. Complexes of oxovanadium(IV) with cyclic nitrogen-containing ligands. 258
Fladerer, E. Preparation of new bulky nickelocenes via nickel chloride.1.65 THF. 126
Franke, P. L. Tetrazoles as ligands, Part III. Transition metal complexes of 1-alkyltetrazoles. 54
Galas, A. M. R. The x-ray crystal structures of the oxoosmium complexes, $OsO_2(OH)_2$phen (1) and $Os_2O_6py_4$ (2). 194
Galeazzi, G. Moessbauer study of some iron(III) complexes with urea type ligands and the crystal structure of hexakis(dimethylurea)iron(III) perchlorate. 325
Gamasa, M. P. Synthesis of cationic carbonyl complexes of manganese(I) with bidentate ligands. 374
Ganzerla, R. Synthesis and NMR studies of bis-trisubstituted phosphine platinum(0) and palladium(0) complexes with push-pull olefins. 199
Geike, W. A. Preparation of new bulky nickelocenes via nickel chloride.1.65 THF. 126
Ghedini, M. Binuclear metal-catecholato complexes. 298
Gielen, M. Organometallic compounds. Part 68. A new synthesis of triorganostannylmanganese complexes. 128
Gielen, M. Organometallic compounds. 75. Stereochemistry and mechanism of the cleavage of the cobalt-tin bond. 344
Gillard, R. D. Equilibriums in complexes of N-heterocyclic molecules. Part XXXII. Dissociation of tris(5-halo-1,10-phenanthroline)iron(III) ions in acid solution. 20
Gillard, R. D. Equilibriums in complexes of N-heterocyclic ligands. Part 33. Ruthenium(II) complex ions with chelating pyridylimidazoles. 351
Gimeno, J. 2,2'-Biimidazole, 2,2'-bibenzimidazole and imidazoles as ligands in cationic rhodium(I) complexes. 103
Giraudi, G. Kinetics and mechanisms of oxidation of dihydroxybenzenes by ethylenediaminetetraacetatomanganate(III). 230
Graziani, M. Synthesis and NMR studies of bis-trisubstituted phosphine platinum(0) and palladium(0) complexes with push-pull olefins. 199
Graziani, R. Synthesis and crystal structure of bis(dimethyl thioacetonedicarboxylato)nickel(II) 166
Green, G. The x-ray crystal structures of the oxoosmium complexes, $OsO_2(OH)_2$phen (1) and $Os_2O_6py_4$ (2). 194
Griffith, W. P. The x-ray crystal structures of the oxoosmium complexes, $OsO_2(OH)_2$phen (1) and $Os_2O_6py_4$ (2). 194
Griffiths, A. J. Electronic absorption spectroscopy of alkaline earth metal uranate compounds. 355
Grillone, M. D. Chemistry of μ-hydridobis[pentacarbonylchromium(0)] species. Part III. Redox reactions with mercury(II) compounds and iodine. 93
Groeneveld, W. L. Tetrazoles as ligands, Part III. Transition metal complexes of 1-alkyltetrazoles. 54
Groeneveld, W. L. Ethers as ligands. Part V. Metal(II)-diglyme and -pentaglyme solvates. 296
Hachem, K. Phase transfer and rhodium(I) catalyzed isomerization of allylaromatics and cognate systems. 219
Haines, R. I. Solvatochromic behavior of intramolecular charge-transfer spectra of inorganic diimine complexes. 145
Hamshere, S. J. Initial state and transition state solvation in substitution at the square-planar complexes, tetrachloroplatinate(2-) and chloro(N,N,N',N'-tetraethyldiethylenetriamine)platinum(1+). 368
Hanus, V. Preparation of μ-(η^5:η^5-fulvalene)-di-μ-hydrido-bis(η^5-cyclopentadienyltitanium) by the reduction of bis(cyclopentadienyl)titanium chloride with lithium aluminum hydride in aromatic solvents. 90
Hatfield, W. E. Exchange coupling in di-μ-hydroxo-bridged chromium(III) dimers. 340
Hay, R. W. Kinetics and mechanism of the base hydrolysis of the cis-chlorobis(ethylenediamine)(benzimidazole)cobalt(III) cation. 4
Heras, J. V. Preparation and properties of some cationic norbornadiene rhodium(I) complexes with triarylphosphines. 1
Heras, J. V. Monocarbonyl cationic rhodium(I) complexes. 45
Hodgson, D. J. Exchange coupling in di-μ-hydroxo-bridged chromium(III) dimers. 340
Horng, D. M. Iron(II), cobalt(II), nickel(II) and copper(II) chelates of 1,1'-dibenzoylacetylferrocene. 319
Huebinger, E. Organometallic complex compounds. Part 7. Ligand concentration control in the organometallic system P-ligand/carbon monoxide/bis(μ-methyl-1,3-dimethyl-η^3-allyl-nickel). 287
Hursthouse, M. B. The x-ray crystal structures of the oxoosmium complexes, $OsO_2(OH)_2$phen (1) and $Os_2O_6py_4$ (2). 194
Huttner, G. (Pentacarbonylmanganato)[1,3-bis(2-chlorophenyl)-1-triazenato-N^1,N^3], mercury. Preparation, properties, crystal and molecular structure. 86
Iaconnianni, F. J. Methylphenylphosphinate complexes with tri- and tetra-positive metal ions. 79
Iskander, M. F. Coordination compounds of hydrazine derivatives with transition metals. Part 22. Reaction of aroylhydrazones with copper(II) salts. 27
Jaitner, P. E. (Pentacarbonylmanganato)[1,3-bis(2-chlorophenyl)-1-triazenato-N^1,N^3], mercury. Preparation, properties, crystal and molecular structure. 86
James, B. S. The coordination chemistry of 2,2'-oxydibenzoic acid, 2,2'-thiodibenzoic acid, 3,3'-oxydipropionic acid and 3,3'-thiodipropionic acid with selected first row transition metal ions. 151
Jaworska-Augustyniak, A. Physicochemical properties of charge transfer complexes of ferrocene and 1,1'-dimethylferrocene in methanol and cyclohexane. 100
Jelsma, A. Kinetics of ammoniation of some halobis(ethylenediamine)rhodium(III) perchlorates in liquid ammonia. 119
Jennison, S. C. Reduction of chromium(V) in nonaqueous media: the preparation of mixed ligand complexes of chromium(III) from [bipyH$_2$][CrOCl$_5$] (bipy = 2,2'-bipyridyl). 235
Johnson, B. F. G. Structures and fluxional behavior of transition metal cluster carbonyls. 131
Journaux, Y. Crystal structure of di-μ-chloro-tetrakis(ethane-1,2-diamine)dinickel(II) bis(tetraphenylboronate); relation between structure and magnetic properties. 176
Kahn, O. Crystal structure of di-μ-chloro-tetrakis(ethane-1,2-diamine)dinickel(II) bis(tetraphenylboronate); relation between structure and magnetic properties. 176
Kajita, S. Cyclometalation of 2-(2-thienyl)pyridine and 2-(3-thienyl)pyridine with palladium(II), rhodium(III) and ruthenium(II). 163
Karayannis, N. M. Methylphenylphosphinate complexes with tri- and tetra-positive metal ions. 79
Karlin, K. D. The structure of the copper(II) analog of a pseudotetrahedral copper(I) thioether complex. 314
Kazi, A. I. Dioxouranium(VI) complexes with potentially dibasic tridentate Schiff base ligands. Characterization of the uranyl complexes of salicylaldehyde-2-hydroxyanil and its substituted derivatives. 223
Klaus, J. Ruthenium complexes with diazadienes. I. Synthesis and crystal structure of cis-Ru(dad)$_2$Cl$_2$ (dad = 2,7-dimethyl-3,6-diaza-3,5-octadiene). 185
Koehler, F. H. Preparation of new bulky nickelocenes via nickel chloride.1.65 THF. 126
Komiya, S. Preparation and properties of anionic transition metal complexes containing trihetero-carbenium ions. 336
Kostenko, A. L. Infrared spectra and structures of bimetallic Cp$_2$TiH$_2$AlX(X').L complexes. 240
Kostenko, A. L. Interactions in Cp$_2$TiX-AlH$_{3-n}$X$_n$-Et$_2$O(NEt$_3$) systems. 32
Kowalski, R. S. Z. Anionic tris-dithiophosphato and -dithiophosphinato complexes of zinc(II) and cobalt(II). The structures of [R$_4$N][M(S$_2$PPh$_2$)$_3$] (M = Zn and Co; R = Et or Me) and of [Me$_4$N][Zn[S$_2$P(OC$_6$H$_4$Me-p)$_2$]$_3$]. 64
Laguna, M. Synthesis of cationic carbonyl complexes of manganese(I) with bidentate ligands. 374
Lamata, M. P. Dimeric chlorocarbonyl(triphenylphosphine)rhodium. A precursor for the synthesis of cationic rhodium complexes with nitrogen donor ligands. 372
Lenarda, M. Synthesis and NMR studies of bis-trisubstituted phosphine platinum(0) and palladium(0) complexes with push-pull olefins. 199
Lisini, A. Synthesis and NMR studies of bis-tri-substituted phosphine platinum(0) and palladium(0) complexes with push-pull olefins. 199
Loonat, M. S. Synthesis of ferrocenylruthenocene. 260
McCleverty, J. A. Anionic tris-dithiophosphato and -dithiophosphinato complexes of zinc(II) and cobalt(II). The structures of [R$_4$N][M(S$_2$PPh$_2$)$_3$] (M = Zn and Co; R = Et or Me) and of [Me$_4$N][Zn[S$_2$P(OC$_6$H$_4$Me-p)$_2$]$_3$]. 64
Mach, K. Preparation of μ-(η^5:η^5-fulvalene)-di-μ-hydrido-bis(η^5-cyclopentadienyltitanium) by the reduction of bis(cyclopentadienyl)titanium chloride with lithium aluminum hydride in aromatic solvents. 90
McWhinnie, W. R. The coordination chemistry of 2,2'-oxydibenzoic acid, 2,2'-thiodibenzoic acid, 3,3'-oxydipropionic acid and 3,3'-thiodipropionic acid with selected first row transition metal ions. 151
Magon, L. Rhenium(V) complexes with Schiff bases: synthesis and reaction mechanisms. 169
Magon, L. Reactivity of Schiff base rhenium(V) complexes with dimethylphenylphosphine. 360
Magon, L. Rhenium(V) complexes with vinyl amides. 380
Maiti, R. K. Oxocation complexes. Part X. Oxomolybdenum(V) and dioxomolybdenum(VI) complexes with tri- and tetradentate Schiff bases. 346
Maiti, S. Kinetics of oxidation of hypophosphite ion by platinum(IV) in an alkaline medium. 264
Malek, A. Dioxouranium(VI) complexes with potentially dibasic tridentate Schiff base ligands. Characterization of the uranyl complexes of salicylaldehyde-2-hydroxyanil and its substituted derivatives. 223
Malhotra, K. C. Acceptor properties of titanium(IV) phenoxides. 238
Manohar, H. Synthesis and structure of mixed ligand isonitroso-β-ketoiminenickel(II) complexes. Crystal structure of (1-ethoxycarbonyl-2-n-propylimino-1-propanone oximato)(1-methoxycarbonyl-2-imino-1-propanone oximato)nickel(II). 214
Manrique, A. Preparation and properties of some cationic norbornadiene rhodium(I) complexes with triarylphosphines. 1
Marchi, A. Reactivity of Schiff base rhenium(V) complexes with dimethylphenylphosphine. 360
Martinez, E. 2,2'-Biimidazole, 2,2'-bibenzimidazole and imidazoles as ligands in cationic rhodium(I) complexes. 103
Massacesi, M. 2,5-Diphenyloxazolechromium(III) complexes. 40
Mazzi, U. Electroanalytical study of the kinetics of the fac-mer isomerization of [ReCl(CO)$_3$(PMe$_2$Ph)$_2$]$^+$ in acetonitrile. 123
Mazzi, U. Rhenium(V) complexes with Schiff bases: synthesis and reaction mechanisms. 169
Mazzi, U. Reactivity of Schiff base rhenium(V) complexes with dimethylphenylphosphine. 360
Mazzi, U. Rhenium(V) complexes with vinyl amides. 380
Mazzocchin, G. A. Electroanalytical study of the kinetics of the fac-mer isomerization of [ReCl(CO)$_3$(PMe$_2$Ph)$_2$]$^+$ in acetonitrile. 123
Mehrotra, G. K. Adducts of tellurium and organotellurium(IV) chlorides with transition metal chelates of tetradentate Schiff bases. 252
Menabue, L. Synthesis and spectroscopic properties of some thermochromic copper(II) complexes of N-(2-aminoethyl) heterocyclic derivatives. 377
Mentasti, E. Kinetics and mechanisms of oxidation of dihydroxybenzenes by ethylenediaminetetraacetatomanganate(III). 230
Meuldijk, J. Solvent effects in square planar complexes: kinetics of substitution at [1-(2-hydroxyphenyl)-3,5-diphenylformazanato]palladium(II) complexes. 267
Midden, W. R. The x-ray crystal structures of the oxoosmium complexes, $OsO_2(OH)_2$phen (1) and $Os_2O_6py_4$ (2). 194
Miguel, D. Synthesis of cationic carbonyl complexes of manganese(I) with bidentate ligands. 374
Mikhail, F. M. Kinetics of reactions of the tris(4-methyl-1,10-phenanthroline)iron(II) cation. 51
Mikulski, C. M. Methylphenylphosphinate complexes with tri- and tetra-positive metal ions. 79
Mohini, C. Preparation, characterization and reactions of tris(2-chlorethoxy)iron(III), Fe(OC$_2$H$_4$Cl)$_3$. 300
Moran, M. Synthesis and characterization of cyclopentadienyl transition metal halides, Part I. Vanadium halides. 42
Moran, M. Synthesis and characterization of cyclopentadienyl halides of transition metals: Part II. Chromium halides. 173
Moran, M. Reactions of titanium(IV) chloride, vanadium(IV) chloride, and vanadyl chloride (VOCl$_3$) with tetraalkyldiphosphine disulfides. 329
Mostafa, M. M. Copper(II), cobalt(II), nickel(II) and mercury(II) complexes of 1,4-diphenylthiosemicarbazide. 303
Mulvaney, R. Anionic tris-dithiophosphato and -dithiophosphinato complexes of zinc(II) and cobalt(II). The structures of [R$_4$N][M(S$_2$PPh$_2$)$_3$] (M = Zn and Co; R = Et or Me) and of [Me$_4$N][Zn[S$_2$P(OC$_6$H$_4$Me-p)$_2$]$_3$]. 64
Nanda, R. Kinetics and mechanism of acid and base hydrolysis of cis-chloro(benzotriazole)bis(ethylenediamine)cobalt(III) and cis-chloro(N-methylbenzotriazole)bis(ethylenediamine)cobalt(III) cations. 97
Narayan, B. A. Nickel nitrosyl complexes with the diphenylphosphinoethane ligand. 206
Neuse, E. W. Synthesis of ferrocenylruthenocene. 260
Nicholls, D. The complex cyanides of chromium(II) and chromium(0). 203
Nielson, A. J. Metal-proton interactions in palladium(II) and rhodium(I) complexes of o-alkylanilines. 180
Nonoyama, M. Cyclometalation of 2-(2-thienyl)pyridine and 2-(3-thienyl)pyridine with palladium(II), rhodium(III) and ruthenium(II). 163
Norman, P. R. Kinetics and mechanism of the base hydrolysis of the cis-chlorobis(ethylenediamine)(benzimidazole)cobalt(III) cation. 4
O'Cleirigh, D. A. Anionic tris-dithiophosphato and -dithiophosphinato complexes of zinc(II)

and cobalt(II). The structures of $[R_4N][M(S_2PPh_2)_3]$ (M = Zn and Co; R = Et or Me) and of $[Me_4N][Zn\{S_2P(OC_6H_4Me\text{-}p)_2\}_3]$. 64
Oro, L. A. Preparation and properties of some cationic norbornadiene rhodium(I) complexes with triarylphosphines. 1
Oro, L. A. Monocarbonyl cationic rhodium(I) complexes. 45
Oro, L. A. 2,2'-Biimidazole, 2,2'-bibenzimidazole and imidazoles as ligands in cationic rhodium(I) complexes. 103
Oro, L. A. Diolefin rhodium(I) complexes with tropolone and related ligands. 221
Oro, L. A. Dimeric chlorocarbonyl(triphenylphosphine)rhodium. A precursor for the synthesis of cationic rhodium complexes with nitrogen donor ligands. 372
Ostoja-Starzewski, K. H. A. Preparation and properties of some cationic norbornadiene rhodium(I) complexes with triarylphosphines. 1
Paddick, K. E. Reactions of diphenylphosphine and methyldiphenylphosphine with (η^3-allyl)dicarbonylchlorobis(methyl cyanide)molybdenum and -tungsten: mechanistic implications in the reductive elimination of allyl halides. 83
Pallini, L. Tertiary amines by palladium or nickel-catalyzed amination of ring-containing allylic systems. 317
Pandey, B. D. Synthesis and characterization of some complexes of manganese(II) and iron(II) picrates with heterocyclic amines. 249
Pandeya, K. B. Oxovanadium(IV) complexes of cyclohexanone semicarbazone and cyclohexanone thiosemicarbazone. 110
Pank, V. Ruthenium complexes with diazadienes. I. Synthesis and crystal structure of cis-Ru(dad)$_2$Cl$_2$ (dad = 2,7-dimethyl-3,6-diaza-3,5-octadiene). 185
Parmar, S. S. Complexes of metal ions with phosphorus or arsenic containing ligands. XX. Chelates of o-phenylenebis(diarylarsines) with palladium(II) and platinum(II) halides, pseudohalides, and perchlorates. 246
Patel, C. C. Synthesis and structure of mixed ligand isonitroso-β-ketoiminenickel(II) complexes. Crystal structure of (1-ethoxycarbonyl-2-n-propylimino-1-propanone oximato)(1-methoxycarbonyl-2-imino-1-propanone oximato)nickel(II). 214
Paul, R. C. Preparation, characterization and reactions of tris(2-chlorethoxy)iron(III), Fe(OC$_2$H$_4$Cl)$_3$. 300
Pearson, A. J. Diene and dienyl complexes of iron: reactivity and synthetic utility. 67
Pelizzetti, E. Solvent effects on electron transfer reactions. The system iron(III)-phenothiazine in water-alcohol mixtures. 334
Pelizzi, C. X-ray structure of tris(picolinato)cobalt(III) monohydrate. 315
Pelizzi, G. X-ray structure of tris(picolinato)cobalt(III) monohydrate. 315
Peringer, P. (Pentacarbonylmanganato)[1,3-bis(2-chlorophenyl)-1-triazenato-N^1,N^3], mercury. Preparation, properties, crystal and molecular structure. 86
Peringer, P. Mercuration of phosphorus-hydrogen systems with (Hg[N(SiMe$_3$)$_2$]$_2$). 313
Pinilla, E. Monocarbonyl cationic rhodium(I) complexes. 45
Pittel, B. Organometallic complex compounds. Part 6. Property-specific ligand control of stability and reactivity of (1,3-dimethyl-η^3-allyl)methylnickel-ligand complexes. Separation of electronic and steric effects. 277
Polyakova, V. B. Infrared spectra and structures of bimetallic Cp$_2$TiH$_2$AlX(X').L complexes. 240
Pombeiro, A. J. L. Diazadiene-isonitrile complexes of molybdenum(II) and molybdenum(III). 255
Pramauro, E. Solvent effects on electron transfer reactions. The system iron(III)-phenothiazine in water-alcohol mixtures. 334
Pregosin, P. S. Preparation and properties of some cationic norbornadiene rhodium(I) complexes with triarylphosphines. 1
Pujari, M. P. The kinetics of oxidation of N-(2-hydroxyethyl)ethylenediaminetriacetatocobaltate(II) by peroxodisulfate ion in aqueous acidic solutions. 47
Pytlewski, L. L. Methylphenylphosphinate complexes with tri- and tetra-positive metal ions. 79
Rabin, R. Methylphenylphosphinate complexes with tri- and tetra-positive metal ions. 79
Rafart, H. Diolefin rhodium(I) complexes with tropolone and related ligands. 221
Rana, V. B. Divalent nickel, cobalt and copper complexes of a tetradentate N$_6$ macrocyclic ligand. 36
Rana, V. B. Five-coordinated complexes of divalent nickel and copper with ligands derived from acid hydrazides and acetylacetone. 60
Rana, V. B. Complexes of divalent oxovanadium, manganese, iron, cobalt, nickel and copper with the ligand derived from the reaction of 2-amino pyridine and acetylacetone. 189
Rao, B. S. Kinetics and mechanism of acid and base hydrolysis of cis-chloro(benzotriazole)bis(ethylenediamine)cobalt(III) and cis-chloro(N-methylbenzotriazole)bis(ethylenediamine)cobalt(III) cations. 97
Reedijk, J. Electronic spectra and electron spin resonance of tetragonal copper(II) N-alkylimidazole compounds. 195
Refaat, L. S. Metal chelates of heterocycle-containing ketones, Part 2. Copper(II) complexes of hydrazones of 2-picolyl, 2-lutidyl and quinaldyl phenyl ketones. 8
Richards, R. L. Diazadiene-isonitrile complexes of molybdenum(II) and molybdenum(III). 255
Riera, V. Synthesis of cationic carbonyl complexes of manganese(I) with bidentate ligands. 374
Roncari, E. Electroanalytical study of the kinetics of the fac-mer isomerization of [ReCl(CO)$_3$(PMe$_2$Ph)$_2$]$^+$ in acetonitrile. 123
Roncari, E. Rhenium(V) complexes with Schiff bases: synthesis and reaction mechanisms. 169
Roncari, E. Reactivity of Schiff base rhenium(V) complexes with dimethylphenylphosphine. 360
Rossi, R. Rhenium(V) complexes with Schiff bases: synthesis and reaction mechanisms. 169
Rossi, R. Reactivity of Schiff base rhenium(V) complexes with dimethylphenylphosphine. 360
Rossi, R. Rhenium(V) complexes with vinyl amides. 380
Royo, M. Preparation and properties of some cationic norbornadiene rhodium(I) complexes with triarylphosphines. 1
Rupainwar, D. C. Synthesis and characterization of some complexes of manganese(II) and iron(II) picrates with heterocyclic amines. 249
Russo, U. Moessbauer study of some iron(III) complexes with urea type ligands and the crystal structure of hexakis(dimethylurea)iron(III) perchlorate. 325
Saddeck, S. Coordination compounds of hydrazine derivatives with transition metals. Part 22. Reaction of aroylhydrazones with copper(II) salts. 27
Sandhu, S. S. Complexes of metal ions with phosphorus or arsenic containing ligands. XX. Chelates of o-phenylenebis(diarylarsines) with palladium(II) and platinum(II) halides, pseudohalides, and perchlorates. 246
Sano, K. Preparation and properties of anionic transition metal complexes containing trihetero carbenium ions. 336
Sariego, R. 2,2'-Biimidazole, 2,2'-bibenzimidazole and imidazoles as ligands in cationic rhodium(I) complexes. 103
Sarkar, M. B. Rhenium. XV. Tetragonal complexes of nickel(II) containing coordinated perrhenate [ReO$_4$]$^-$. 211
Sarma, K. R. Nickel nitrosyl complexes with the diphenylphosphinoethane ligand. 206
Scaringe, R. P. Exchange coupling in di-μ-hydroxo-bridged chromium(III) dimers. 340
Schenkluhn, H. Organometallic complex compounds. Part 5. Ligand property controlled carbon monoxide insertion in nickel complexes: separation of electronic and steric effects. 272
Schenkluhn, H. Organometallic complex compounds. Part 6. Property-specific ligand control of stability and reactivity of (1,3-dimethyl-η^3-allyl)methylnickel-ligand complexes. Separation of electronic and steric effects. 277
Schenkluhn, H. Organometallic complex compounds. Part 7. Ligand concentration control in the organometallic system P-ligand/carbon monoxide/bis(μ-methyl-1,3-dimethyl-η^3-allylnickel). 287
Schoeters, G. The vibrational analysis of some N- and N,N'-substituted oxamide complexes. 305
Seeber, R. Electroanalytical study of the kinetics of the fac-mer isomerization of [ReCl(CO)$_3$(PMe$_2$Ph)$_2$]$^+$ in acetonitrile. 123
Sen, P. K. Kinetics of oxidation of hypophosphite ion by platinum(IV) in an alkaline medium. 264
Sen Gupta, K. K. Kinetics of oxidation of hypophosphite ion by platinum(IV) in an alkaline medium. 264
Shallaby, M. Copper(II), cobalt(II), nickel(II) and mercury(II) complexes of 1,4-diphenylthiosemicarbazide. 303
Sharma, N. Acceptor properties of titanium(IV) phenoxides. 238
Sherry, R. Kinetics of reactions of the tris(4-methyl-1,10-phenanthroline)iron(II) cation. 51
Sillanpaeae, R. Cobalt(II) halide complexes with imidazolidine-2-selone derivatives. 107
Sindellari, L. Complexes of uranium and thorium tetrachlorides and uranyl nitrate with N-methyl-N-ethyl-O-ethylcarbamate. 17
Singh, D. P. Complexes of divalent oxovanadium, manganese, iron, cobalt, nickel and copper with the ligand derived from the reaction of 2-amino pyridine and acetylacetone. 189
Singh, D. P. Divalent nickel, cobalt and copper complexes of a tetradentate N$_6$ macrocyclic ligand. 36
Singh, I. Five-coordinated complexes of divalent nickel and copper with ligands derived from acid hydrazides and acetylacetone. 60
Singh, Mrs. P. Divalent nickel, cobalt and copper complexes of a tetradentate N$_6$ macrocyclic ligand. 36
Smith, R. T. Metal carbonyl complexes of a new, cationic, water-soluble phosphine, (2-diphenylphosphinoethyl)trimethylammonium iodide. 197
Soloveichik, G. L. Infrared spectra and structures of bimetallic Cp$_2$TiH$_2$AlX(X').L complexes. 240
Soloveichik, G. L. Interactions in Cp$_2$TiX-AlH$_{3-n}$X$_n$-Et$_2$O(NEt$_3$) systems. 32
Speier, G. Kinetics and mechanism of the oxygenation of triphenylphosphine by bis(ethyl-L-cysteinato)dioxomolybdenum(VI). 227
Sreekantan, A. Synthesis and structure of mixed ligand isonitroso-β-ketoiminenickel(II) complexes. Crystal structure of (1-ethoxycarbonyl-2-n-propylimino-1-propanone oximato)(1-methoxycarbonyl-2-imino-1-propanone oximato)nickel(II). 214
Srivastava, T. N. Adducts of tellurium and organotellurium(IV) chlorides with transition metal chelates of tetradentate Schiff bases. 252
Srivastava, U. C. X-ray K-absorption spectra of some amino acid and carbonato complexes of copper(II). 114
Teotia, M. P. Divalent nickel, cobalt and copper complexes of a tetradentate N$_6$ macrocyclic ligand. 36
Teotia, M. P. Five-coordinated complexes of divalent nickel and copper with ligands derived from acid hydrazides and acetylacetone. 60
Teotia, M. P. Complexes of divalent oxovanadium, manganese, iron, cobalt, nickel and copper with the ligand derived from the reaction of 2-amino pyridine and acetylacetone. 189
Terenghi, G. Nickel-induced deviation in the reaction of butadiene with methyl benzoylacrylate from cycloaddition to linear addition. 125
Terenghi, G. Tertiary amines by palladium or nickel-catalyzed amination of ring-containing allylic systems. 317
Tripathy, K. K. Kinetics and mechanism of acid and base hydrolysis of cis-chloro(benzotriazole)bis(ethylenediamine)cobalt(III) and cis-chloro(N-methylbenzotriazole)bis(ethylenediamine)cobalt(III) cations. 97
Twigg, M. V. Ion pairing in the reaction of the tris(1,10-phenanthroline)iron(II) cation with cyanide in aqueous media at high ionic strengths. 129
Unruh, J. Methylphenylphosphinate complexes with tri- and tetra-positive metal ions. 79
Uson, R. 2,2'-Biimidazole, 2,2'-bibenzimidazole and imidazoles as ligands in cationic rhodium(I) complexes. 103
Uson, R. Dimeric chlorocarbonyl(triphenylphosphine)rhodium. A precursor for the synthesis of cationic rhodium complexes with nitrogen donor ligands. 372
Valderrama, M. 2,2'-Biimidazole, 2,2'-bibenzimidazole and imidazoles as ligands in cationic rhodium(I) complexes. 103
Valderrama, M. Diolefin rhodium(I) complexes with tropolone and related ligands. 221
Valle, G. Moessbauer study of some iron(III) complexes with urea type ligands and the crystal structure of hexakis(dimethylurea)iron(III) perchlorate. 325
Vanden Eynde, I. Organometallic compounds. 75. Stereochemistry and mechanism of the cleavage of the cobalt-tin bond. 344
Van der Heijden, A. N. Electronic absorption spectroscopy of alkaline earth metal uranate compounds. 355
Van Gils, N. Ethers as ligands. Part V. Metal(II)-diglyme and -pentaglyme solvates. 296
Verani, G. Cobalt(II) halide complexes with imidazolidine-2-selone derivatives. 107
Vidali, M. Synthesis and crystal structure of bis(dimethyl thioacetonedicarboxylato)nickel(II). 166
Vigato, P. A. Synthesis and crystal structure of bis(dimethyl thioacetonedicarboxylato)nickel(II) 166
Vinay, I. Nickel-induced deviation in the reaction of butadiene with methyl benzoylacrylate from cycloaddition to linear addition. 125
Vishnoi, A. N. X-ray K-absorption spectra of some amino acid and carbonato complexes of copper(II). 114
Von Deuten, K. Ruthenium complexes with diazadienes. I. Synthesis and crystal structure of cis-Ru(dad)$_2$Cl$_2$ (dad = 2,7-dimethyl-3,6-diaza-3,5-octadiene). 185
Walters, W. S. Equilibriums in complexes of N-heterocyclic molecules. Part XXXII. Dissociation of tris(5-halo-1,10-phenanthroline)iron(III) ions in acid solution. 20
Wei, H. H. Iron(II), cobalt(II), nickel(II) and copper(II) chelates of 1,1'-dibenzoylacetylferrocene. 319
Weimann, B. Organometallic complex compounds. Part 5. Ligand property controlled carbon monoxide insertion in nickel complexes: separation of electronic and steric effects. 272
Wellings, P. Ion pairing in the reaction of the tris(1,10-phenanthroline)iron(II) cation with cyanide in aqueous media at high ionic strengths. 129
Wellings, P. Intermediates in reactions of the diimine complex trisferrozineiron(II) with hydroxide or cyanide in binary aqueous solvent mixtures and in micelles. 364
Williams, P. A. Equilibriums in complexes of N-heterocyclic molecules. Part XXXII. Dissociation of tris(5-halo-1,10-phenanthroline)iron(III) ions in acid solution. 20
Wismeijer, A. A. Solvent effects in square planar complexes: kinetics of substitution at [1-(2-hydroxyphenyl)-3,5-diphenylformazanato]palladium(II) complexes. 267
Yakovleva, N. A. Interactions in Cp$_2$TiX-AlH$_{3-n}$X$_n$-Et$_2$O(NEt$_3$) systems. 32
Yamamoto, T. Preparation and properties of anionic transition metal complexes containing triheterocarbenium ions. 336
Zaehres, M. Organometallic complex compounds. Part 6. Property-specific ligand control of stability and reactivity of (1,3-dimethyl-η^3-allyl)methylnickel-ligand complexes. Separation of electronic and steric effects. 277

Zarli, B. Complexes of uranium and thorium tetra=chlorides and uranyl nitrate with N–methyl–N–=ethyl–O–ethylcarbamate. 17

Zsolnai, L. (Pentacarbonylmanganato)[1,3–bis(2–=chlorophenyl)–1–triazenato–N^1,N^3], mercury. Preparation, properties, crystal and molecular structure. 86

Zubieta, J. The structure of the copper(II) analog of a pseudotetrahedral copper(I) thio ether complex. 314

Keyword Index

Acceptor
  strength titanium phenoxide 238
Acetonitrile
  redn pentachlorooxochromate 235
  rhodium phosphine complex 45
Acetylacetone
  aminopyridine Schiff base metal 189
  pyridylcarbonylhydrazone copper nickel complex 60
Acidity
  cobalt aqua benzimidazole complex 4
Acylation
  dinitrogen metal complex 57
Acylhydrazone
  picolyl ketone copper complex 8
Addn
  benzoylacrylate butadiene mechanism 125
Alk
  earth crown ether complex 338
  earth diglyme pentaglyme complex 296
  earth uranate IR UV 355
Alkylaniline
  palladium rhodium NMR 180
Alkylimidazole
  copper spectra polemic 195
Alkyltetrazole
  transition metal complex 54
Allylamine
  isomerization catalyst 219
Allylbenzene
  isomerization catalyst 219
Allylmolybdenum
  phosphine reaction 83
Allylnickel
  phosphine carbon monoxide insertion 272
  phosphine phosphorus NMR 287
Allyltungsten
  phosphine reaction 83
Aluminum
  halide titanocene ether amine ESR 32
  methylphenylphosphinate complex polymer 79
  titanium cyclopentadienyl complex IR 240
Amide
  vinyl rhenium complex 380
Amination
  catalyst vinylcyclopropane vinylbutyrolactone 317
Amine
  heterocyclic iron manganese picrate 249
  titanocene halide aluminum ESR 32
Amino
  copper x ray 114
Aminoethyl
  heterocycle copper complex 377
Aminomercury
  silyl mercurating agent 313
Aminopyridine
  acetylacetone Schiff base metal 189
  vanadyl sulfato 258
Ammine
  nickel perrhenato complex 211
Ammonia
  substitution rhodium haloethylenediamine per=chlorate 119
Ammoniation
  haloethylenediaminerhodium perchlorate kinetics 119
Ammonium
  phosphinoethyl metal complex 197
Aniline
  alkyl palladium rhodium NMR 180
  vanadyl sulfato 258
Aquation
  iron methylphenanthroline 51
  sulfuric acid halophenathroline iron 20
Aroylhydrazone
  copper complex 27
Arsine
  palladium platinum complex 24
  platinum palladium complex 246
Base
  hydrolysis chloro cobalt complex 4
Benzimidazole
  acidity cobalt aqua complex 4
Benzotriazoleethylenediaminechlorocobalt
  hydrolysis rate 97
Benzoylacrylate
  butadiene addn mechanism 125
Bipyridine
  chloro chromium 3 complex 235
  chromium carbonyl 93
  manganese carbonyl cation 374
  manganese iron picrate 249
  rhodium phosphine complex 45
  vanadyl sulfato 258
Bipyridyl
  carbonyl molybdenum reaction kinetics 156
Bond
  cobalt tin stereochem cleavage 344
Bromochromium
  cyclopentadienyl 173
Bromophenanthroline
  iron dissocn acid 20
Butadiene
  benzoylacrylate addn mechanism 125
Butyrolactone
  vinyl amination catalyst 317
Calcium
  crown ether complex 338
Carbamate
  ethyl uranium thorium complex 17
Carbenium
  cobalt molybdenum complex 336
Carbon
  monoxide insertion allylnickel phosphine 272
  monoxide insertion nickel 287
Carbonato
  copper x ray 114
Carbonyl
  bipyridyl molybdenum reaction kinetics 156
  diene iron MO review 67
  hydrido chromium redox mercury 93
  manganese cation 374
Carbonyldimethylphenylphosphinerhenium
  isomerization redox 123
Carbonylmanganato
  mercury triazenato complex 86
Catalyst
  amination vinylcyclopropane vinylbutyrolactone 317
Cationic
  rhodium phosphine complex 45
CD
  IR UV ruthenium pyridylimidazole 351
Charge
  transfer ferrocene tetranitromethane 100
Chloro
  bridged nickel structure 176
  cobalt base hydrolysis 4
  oxo chromium 5 redn 235
Chlorobenzotriazoleethylenediaminecobalt
  hydrolysis rate 97
Chlorocarbonyldimethylphenylphosphinerhenium
  redox isomerization 123
Chlorochromium
  cyclopentadienyl 173
Chloroethoxy
  iron complex 300
Chloroethylenediaminerhodium
  perchlorate ammoniation kinetics 119
Chlorophenanthroline
  iron dissocn acid 20
Chlorotellurium
  coordination metal Schiff base 252
Chromate
  hexacyano sodium potassium 203
Chromium
  carbonyl hydrido redox mercury 93
  cyclopentadienyl halo 173
  diphenyloxazole complex 40
  hydroxo bridged exchange coupling 340
  methylphenylphosphinate complex polymer 79
  3 chloro bipyridine complex 235
Cleavage
  stereochem cobalt tin bond 344
Cluster
  carbonyl complex structure review 131
Cobalt
  acetylacetone aminopyridine Schiff base 189
  carbenium complex 336
  chloro complex base hydrolysis 4
  chlorobenzotriazoleethylenediamine hydrolysis rate 97
  crown ether complex 338
  dibenzoylacetylferrocene complex 319
  diglyme pentaglyme complex 296
  diphenylthiosemicarbazide metal complex 303
  HEDTA oxidn peroxydisulfate 47
  imidazolidineselenone complex 107
  oxydicarboxylate thiodicarboxylate 151
  picolinato structure 315
  tetradentate macrocyclic ligand 36
  tin bond stereochem cleavage 344
Cobaltate
  dithiophosphinato structure 64
Cobalticinium
  substituted electroredn aq soln 321
Computer
  program Moessbauer shift 325
Copper
  acetylacetone aminopyridine Schiff base 189
  alkylimidazole spectra polemic 195
  amino carbonato x ray 114
  aminoethyl heterocycle complex 377
  aroylhydrazone complex 27
  dibenzoylacetylferrocene complex 319
  diglyme pentaglyme complex 296
  diphenylthiosemicarbazide metal complex 303
  heterocyclic thioamide complex 14
  oxydicarboxylate thiodicarboxylate 151
  picolyl ketone acylhydrazone complex 8
  pyridine thioether complex structure 314
  pyridylcarbonylhydrazone acetylacetone complex 60
  Schiff base coordination chlorotellurium 252
  tetradentate macrocyclic ligand 36
Coupling
  exchange hydroxo bridged chromium 340
Crown
  ether transition metal complex 338
Crystal
  structure cobalt picolinato 315
  structure ethylenediamine chloro nickel 176
  structure methylurea iron perchlorate 325
  structure oxo bridge osmium 194
Cyanide
  chromium 2 hydrate 203
  molybdenum tungsten complex 83
  reaction dipyridyl molybdenum kinetics 156
  reaction iron methylphenanthroline 51
  reaction kinetics ferrous ferrozine 364
  reaction phenanthrolineiron ion pairing 129
  substitution kinetics chloroplatinate 368
Cyano
  chromium complex redn 203
Cyclohexanone
  semicarbazone thiosemicarbazone oxo vanadium 110
Cyclometalation
  thienylpyridine 163
Cyclometallated
  palladium platinum complex 24
Cyclopentadienyl
  titanium aluminum complex IR 240
  vanadium halide 42
Cyclopentadienylchromium
  halo 173
Cyclopentadienyltitanium
  redn hydride 90
Cyclopropane
  vinyl amination catalyst 317
Cysteinato
  dioxomolydenum oxidn triphenylphosphine 227
Decompn
  nickel allyl phosphine 277
  thermal kinetics perrhenato nickel 211
Dehydration
  chromium 2 cyanide 203
Diazadiene
  molybdenum isonitrile complex 255
  ruthenium complex 185
Diazaoctadiene
  ruthenium complex 185
Dibenzoylacetylferrocene
  metal complex 319
Diene
  iron carbonyl MO review 67
  tropolone rhodium complex 221
Diglyme
  divalent metal complex 296
Diketone
  thio complex dipole moment correction 66
Dimethyl
  thioacetonedicarboxylate nickel complex 166
Dinitrogen
  acylation metal complex 57
Dioxomolydenum
  cysteinato oxidn triphenylphosphine 227
Diphenyloxazole
  chromium complex 40
Diphenylthiosemicarbazide
  metal complex 303
Diphosphine
  disulfide vanadium titanium reaction 329
Diphosphinoethane
  nickel dihydroxybenzaldehydeazine 298
Dipole
  moment thio diketone complex correction 66
Dissocn
  iron halophenanthroline acid 20
Disulfide
  diphosphine vanadium titanium reaction 329
Dithiolanylium
  cobalt molybdenum complex 336
Dysprosium
  methylphenylphosphinate complex polymer 79
EDTA
  manganate oxidn dihydroxybenzene 230
Electron
  transfer iron solvent effect 334
Electronic
  spectra copper alkylimidazole polemic 195
  steric effect nickel phosphine 277
  steric effect phosphine ligand 272
Electroredn
  cobalticinium substituted aq soln 321
Elimination
  reductive allyl halide 83

Equation
rate chlorobenzotriazoleethylenediamine cobalt 97
ESR
copper alkylimidazole polemic 195
titanocene halide aluminum ether amine 32
Ether
crown transition metal complex 338
titanocene halide aluminum ESR 32
Ethyl
carbamate uranium thorium complex 17
imidazole copper polemic 195
Ethylenediamine
nickel chloro bridged structure 176
rhodium phosphine complex 372
Ethylenediaminecobalt
chlorobenzotriazole hydrolysis rate 97
Ethylenediaminehalorhodium
perchlorate ammoniation kinetics 119
Ethyltetramethylcyclopentadienyl
nickel 126
Exchange
coupling hydroxo bridged chromium 340
Ferric
phenothiazine redox solvent effect 334
Ferrocene
charge transfer tetranitromethane 100
Ferrocenylruthenocene 260
Ferrozine
iron reaction cyanide hydroxide 364
Free
energy transfer platinum complex 368
Fulvalenedihydridobiscyclopentadienyltitanium 90
Gallium
methylphenylphosphinate complex polymer 79
Glutaronitrile
manganese carbonyl cation 374
Halo
carbonyl chromate 93
Halogenation
vanadocene 42
Halophenanthroline
iron dissocn acid 20
HEDTA
cobalt oxidn peroxydisulfate 47
Heterocyclic
amine manganese iron picrate 249
thioamide copper complex 14
Hexenoate
diethylamino 317
Hydrazone
acyl picolyl ketone copper 8
aroyl copper complex 27
pyridylcarbonyl acetylacetone copper nickel 60
Hydride
redn cyclopentadienyltitanium 90
Hydrido
bridged chromium carbonyl anion 93
Hydroformylation
catalyst rhodium complex 1
Hydrogen
peroxide reaction iron methylphenanthroline 51
phosphorus system mercuration 313
Hydrolysis
cobalt chloro complex base 4
rate chlorobenzotriazoleethylenediaminecobalt 97
Hydroxide
reaction iron methylphenanthroline 51
reaction kinetics ferrous ferrozine 364
Hydroxo
bridged chromium exchange coupling 340
Hydroxyacetophenone
ethylenediamine metal coordination chlorotelluri= um 252
Hydroxyanil
salicylaldehyde uranyl complex 223
Hydroxybenzene
oxidn kinetics mechanism 230
Hydroxyphenylformazanato
palladium substitution kinetics solvent 267
Hydroxyquinolinate
rhenium complex 169
Hypophosphite
oxidn platinum kinetics 264
Imidazole
ethyl propyl copper polemic 195
rhodium complex 103
Imidazolidineselenone
cobalt complex 107
Imine
transition metal solvatochromism 145
Indium
methylphenylphosphinate complex polymer 79
Insertion
carbon monoxide allylnickel phosphine 272
carbon monoxide nickel 287
Iodide
iron phenanthroline cyanide ion pairing 129
Iodine
redox reaction hydrido chromium 93
Iodochromium
cyclopentadienyl 173
Iodoethylenediaminerhodium
perchlorate ammoniation kinetics 119
Ion
pairing phenanthrolineiron reaction cyanide 129
IR
nickel oxamide deriv 305
ruthenium pyridylimidazole 351
titanium aluminum cyclopentadienyl complex 240
UV alk earth uranate 355
Iridium
dihydroxybenzaldehydeazine complex 298
Iron
acetylacetone aminopyridine Schiff base 189
chloroethoxy complex 300
dibenzoylacetylferrocene complex 319
diene carbonyl MO review 67
diglyme pentaglyme complex 296
halophenanthroline dissocn acid 20
methylphenanthroline reaction kinetics 51
methylphenylphosphinate complex polymer 79
methylurea perchlorate structure 325
oxydicarboxylate thiodicarboxylate 151
phenanthroline cyanide iodide ion pairing 129
phosphinoethylammonium complex 197
picrate heterocyclic amine 249
triazine reaction cyanide hydroxide 364
Isomer
linkage isonitrosoketoiminato nickel 214
Isomerization
allylbenzene catalyst 219
chlorocarbonyldimethylphenylphosphinerhenium redox 123
Isonitrile
molybdenum diazadiene complex 255
Isonitrosoketoiminato
nickel linkage isomer 214
Ketone
phenyl picolyl acylhydrazone copper 8
Kinetics
electron transfer iron complex 334
oxidn hypophosphite platinum 264
reaction bipyridyl carbonyl molybdenum 156
reaction cyanide ferrous ferrozine 364
substitution hydroxyphenylformazanato palladium solvent 267
substitution platinum chloro complex 368
thermal decompn perrhenato nickel 211
Ligand
field imidazolidineselenone cobalt complex 107
Lutidyl
phenyl ketone acylhydrazone copper 8
Macrocyclic
ligand transition metal 36
Magnesium
crown ether complex 338
Magnetism
structure nickel dimer 176
Manganate
EDTA oxidn dihydroxybenzene 230
pentacarbonyl mercury triazenato complex 86
Manganese
acetylacetone aminopyridine Schiff base 189
carbonyl cation 374
crown ether complex 338
diglyme pentaglyme complex 296
picrate heterocyclic amine 249
stannyl complex 128
Mass
spectrum thio diketone complex correction 66
Mechanism
substitution hydroxyphenylformazanato palladium 267
Mercurating
agent silylaminomercury 313
Mercuration
phosphorus hydrogen system 313
Mercury
diphenylthiosemicarbazide metal complex 303
halide reaction hydrido chromium 93
silylamino mercurating agent 313
triazenato pentacarbonylmanganato complex 86
Methoxide
reaction dipyridyl molybdenum kinetics 156
Methylbenzotriazoleethylenediaminecobalt
hydrolysis rate 97
Methylphenanthroline
iron reaction kinetics 51
Methylphenylphosphinecarbonyl
rhenium isomerization redox 123
Methylurea
iron perchlorate structure 325
Micelle
effect ferrozine iron reaction 364
Moessbauer
oxydicarboxylate thiodicarboxylate iron complex 151
urea type iron complex 325
Mol
structure cobalt picolinato 315
structure ethylenediamine chloro nickel 176
structure methylurea iron perchlorate 325
structure oxo phenanthroline osmium 194
Molybdenum
bipyridyl carbonyl reaction kinetics 156
carbenium complex 336
diazadiene isonitrile complex 255
dinitrogen complex acylation 57
oxo Schiff base complex 346
phosphine complex 83
phosphinoethylammonium complex 197
Morpholine
aminoethyl copper complex 377
Nickel
acetylacetone aminopyridine Schiff base 189
amination catalyst 317
ammine pyridine perrhenato complex 211
benzoylacrylate complex addn butadiene 125
catecholato complex 298
crown ether complex 338
dibenzoylacetylferrocene complex 319
diglyme pentaglyme complex 296
dimethyl thioacetonedicarboxylate complex 166
diphenylthiosemicarbazide metal complex 303
ethylenediamine chloro bridged structure 176
insertion carbon monoxide 287
isonitrosoketoiminato linkage isomer 214
nitrosyl phosphinoethane complex 206
oxamide deriv IR Raman 305
phosphine electronic steric effect 277
pyridylcarbonylhydrazone acetylacetone complex 60
Schiff base coordination chlorotellurium 252
tetradentate macrocyclic ligand 36
Nickelocene 126
Nitrogen
metal complex acylation 57
Nitrosyl
iridium dihydroxybenzaldehydeazine 298
phosphinoethane nickel complex 206
NMR
olefin platinum palladium complex 199
palladium rhodium alkylaniline 180
phosphorus allylnickel phosphine 287
Norbornadiene
phosphine rhodium complex 1
Olefin
platinum palladium complex 199
rhodium tropolone complex 221
Osmium
oxo phenanthroline pyridine structure 194
Oxamide
deriv nickel IR Raman 305
Oxazole
diphenyl chromium complex 40
Oxidn
cobalt HEDTA peroxydisulfate 47
dioxomolydenum cysteinato triphenylphosphine 227
hydroxybenzene kinetics mechanism 230
hypophosphite platinum kinetics 264
Oxo
chloro chromium 5 redn 235
molybdenum Schiff base complex 346
phenanthroline pyridine osmium structure 194
Oxydibenzoate
transition metal complex 151
Oxydipropionate
transition metal complex 151
Oxygen
transfer phenylphosphine 227
Palladium
alkylaniline NMR 180
amination catalyst 317
bridged pyrazolato complex 24
dihydroxybenzaldehydeazine complex 298
hydroxyphenylformazanato substitution kinetics solvent 267
olefin complex 199
phenylenebisdiarylarsine complex 246
thienylpyridine complex 163
Pentacarbonylmanganato
triazenato mercury complex 86
Pentachlorooxochromate
redn acetonitrile 235
Pentaglyme
divalent metal complex 296
Pentenoate
amino 317
Perchlorate
methylurea iron structure 325
Peroxydisulfate
oxidn cobalt HEDTA 47
Perrhenato
nickel ammine pyridine complex 211
Phase
transfer isomerization catalyst 219
Phenanthroline
chromium carbonyl 93
iron dissocn acid 20
iron reaction kinetics 51
manganese carbonyl cation 374
manganese iron picrate 249
oxo osmium structure 194
rhodium phosphate complex 372
rhodium phosphine complex 45
vanadyl sulfato 258
Phenanthrolineiron
reaction cyanide ion pairing 129
Phenothiazine
ferric redox solvent effect 334
Phenoxide
titanium acceptor strength 238
Phenyl
picolyl ketone acylhydrazone copper 8
Phenylenebisdiarylarsine
palladium platinum complex 246
Phenylphosphine
oxygen transfer 227
Phosphinate
trivalent tetravalent metal complex 79
Phosphine
allylnickel carbon monoxide insertion 272
allylnickel phosphorus NMR 287
di manganese carbonyl cation 374
mercuration 313
molybdenum tungsten complex 83
nickel electronic steric effect 277
norbornadiene rhodium complex 1
olefin metal complex 199
oxide chromium bipyridine complex 235
oxidn dioxomolybdenum 227
palladium platinum complex 24
platinum palladium dihydroxybenzaldehydeazine 298
pyridine rhodium complex 372
rhenium complex isomerization redox 123
rhodium cationic complex 45
Schiff base rhenium complex 360

Phosphinoethane
nitrosyl nickel complex 206
Phosphinoethylammonium
metal complex 197
Phosphorus
hydrogen system mercuration 313
NMR allylnickel phosphine 287
Picolinato
cobalt structure 315
Picolyl
ketone acylhydrazone copper complex 8
Picrate
manganese iron heterocyclic amine 249
Piperazine
aminoethyl copper complex 377
Platinum
bridged pyrazolato complex 24
chloro complex substitution kinetics 368
dihydroxybenzaldehydeazine complex 298
olefin complex 199
oxidn hypophosphite kinetics 264
phenylenebisdiarylarsine complex 246
Potassium
hexacyanochromate 203
Propyl
imidazole copper polemic 195
Pyrazolato
bridged palladium platinum complex 24
Pyridine
manganese iron picrate 249
nickel perrhenato complex 211
oxide chromium bipyridine complex 235
phenanthroline osmium structure 194
phosphine rhodium complex 372
rhodium phosphine complex 45
thienyl metal complex 163
thioether copper complex structure 314
Pyridylcarbonylhydrazone
acetylacetone copper nickel complex 60
Pyridylimidazole
ruthenium CD IR UV 351
Pyridyltriazine
iron reaction cyanide hydroxide 364
Pyrrolidine
aminoethyl copper complex 377
Quinaldyl
phenyl ketone acylhydrazone copper 8
Quinolinate
hydroxy rhenium complex 169 360
Quinoline
manganese iron picrate 249
rhodium phosphine complex 372
Raman
nickel oxamide deriv 305
spectrum oxo osmium complex 194
Reaction
kinetics bipyridyl carbonyl molybdenum 156
Redn
chromium cyano complex 203
chromium 5 oxo chloro 235
copper aroylhydrazone 27
cyclopentadienyltitanium hydride 90
electrochem substituted cobalticinium 321
Redox
chlorocarbonyldimethylphenylphosphinerhenium isomerization 123
ferric phenothiazine solvent effect 334
hydrido bridged chromium carbonyl anion 93
Reductive
elimination allyl halide 83
Review
diene iron carbonyl MO 67
structure cluster carbonyl complex 131
Rhenium
chlorocarbonyldimethylphenylphosphine isomerization redox 123
Schiff base complex 169 360
vinyl amide complex 380
Rhodium
alkylaniline NMR 180
diene tropolone complex 221
haloethylenediamine perchlorate substitution ammonia 119
imidazole complex 103
isomerization catalyst 219
norbornadiene phosphine complex 1
phosphine cationic complex 45
pyridine phosphine complex 372
thienylpyridine complex 163
Ruthenium
diazaoctadiene complex 185
pyridylimidazole CD IR UV 351
thienylpyridine complex 163
Ruthenocene
ferrocenyl 260
Salicylaldehyde
ethylenediamine metal coordination chlorotelluriūm 252
hydroxyanil uranyl complex 223
Salicylideneiminate
rhenium complex 169 360
Scandium
methylphenylphosphinate complex polymer 79
Schiff
base acetylacetone aminopyridine metal 189
base metal coordination chlorotellurium 252
base oxo molybdenum complex 346
base rhenium complex 169 360
Selenone
imidazolidine cobalt complex 107
Semicarbazone
cyclohexanone oxo vanadium 110
Silylaminomercury
mercurating agent 313
Sodium
hexacyanochromate 203
Solvatochromism
transition metal imine 145
Solvent
effect ferric phenothiazine redox 334
effect molybdenum reaction kinetics 156
effect transition metal substitution 368
kinetics substitution hydroxyphenylformazanato palladium 267
Soly
substitution kinetics chloroplatinate 368
Square
planar substitution kinetics platinum 368
Stannylmanganese
complex 128
Stereochem
cleavage cobalt tin bond 344
Steric
electronic effect nickel phosphine 277
electronic effect phosphine ligand 272
Strontium
crown ether complex 338
Structure
chromium cyano complex 203
cluster carbonyl complex review 131
cobalt picolinato 315
copper pyridine thioether complex 314
dithiophosphinato dithiophosphato cobaltate zincate 64
ethylenedimaine chloro nickel 176
hydroxo bridged chromium magnetism 340
mercury triazenato pentacarbonylmanganato complex 86
methylurea iron perchlorate 325
nickel dimethyl thioacetonedicarboxylate complex 166
nickel isonitrosoketoiminato linkage isomer 214
nickel perrhenato ammine 211
oxo phenanthroline pyridine osmium 194
ruthenium diazaoctadiene complex 185
Substituted
cobalticinium electroredn aq soln 321
Substitution
ammonia rhodium haloethylenediamine perchlorate 119
kinetics hydroxyphenylformazanato palladium solvent 267
transition metal solvent effect 368
Succinonitrile
manganese carbonyl cation 374
Sulfato
vanadyl aminopyridine aniline 258
Sulfone
isomerization catalyst 219
Sulfophenyltriazine
iron reaction cyanide hydroxide 364
Sulfuric
acid aquation halophenathroline iron 20
Tellurium
chloro coordination metal Schiff base 252
Tetramethylcyclopentadienyl
nickel 126
Tetranitromethane
charge transfer ferrocene 100
Tetrazole
alkyl transition metal 54
Thermal
decompn kinetics perrhenato nickel 211
Thermochromism
copper complex 377
Thienylpyridine
cyclometalation 163
Thio
diketone complex dipole moment correction 66
Thioacetonedicarboxylate
dimethyl nickel complex 166
Thioamide
heterocyclic copper complex 14
Thiodibenzoate
transition metal complex 151
Thiodipropionate
transition metal complex 151
Thioether
pyridine copper complex structure 314
Thiophosphate
zinc complex structure 64
Thiosemicarbazone
cyclohexanone oxo vanadium 110
Thiphosphinate
cobalt zinc complex structure 64
Thorium
ethyl carbamate complex 17
methylphenylphosphinate complex polymer 79
Tin
cobalt bond stereochem cleavage 344
Titanium
aluminum cyclopentadienyl complex IR 240
chloride diphosphine disulfide reaction 329
fulvalene dihydro 90
methylphenylphosphinate complex polymer 79
phenoxide acceptor strength 238
Titanocene
halide aluminum ether amine ESR 32
Transition
metal alkyltetrazole complex 54
metal cluster carbonyl review 131
metal crown ether complex 338
metal imine solvatochromism 145
metal oxydicarboxylate thiodicarboxylate 151
metal substitution solvent effect 368
state substitution kinetics platinum 368
Triazenato
pentacarbonylmanganato mercury complex 86
Tropolone
diene rhodium complex 221
Tungsten
dinitrogen complex acylation 57
phosphine complex 83
phosphinoethylammonium complex 197
Uranate
alk earth IR UV 355
Uranium
ethyl carbamate complex 17
methylphenylphosphinate complex polymer 79
Uranyl
salicylaldehyde hydroxyanil complex 223
Urea
type iron complex Moessbauer 325
UV
alk earth uranate 355
ferrocene complex tetranitromethane 100
ruthenium pyridylimidazole 351
Vanadium
chloride diphosphine disulfide reaction 329
cyclopentadienyl halide 42
methylphenylphosphinate complex polymer 79
oxo cyclohexanone semicarbazone thiosemicarbazone 110
Vanadocene
halogenation 42
Vanadyl
acetylacetone aminopyridine Schiff base 189
chloride diphosphine disulfide reaction 329
sulfato aminopyridine aniline 258
Vinyl
amide rhenium complex 380
X
ray copper amino carbonato 114
Yttrium
methylphenylphosphinate complex polymer 79
Zinc
crown ether complex 338
diglyme pentaglyme complex 296
oxydicarboxylate thiodicarboxylate 151
Zincate
dithiophosphinato dithiophosphato structure 64